



Form Surface Water Analysis

Project Name: Safe Routes to School Pedestrian Improvements: C.C. Moss and M.L. Phillips Elementary Schools

CSJ(s): 0902-90-084

County(ies): **Tarrant**

Date Analysis Completed: **December 6, 2019**

Prepared by: **Garrett P. Weiberg- Cox McLain Environmental Consulting, Inc.**

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by TxDOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 16, 2014, and executed by FHWA and TxDOT.

I. Section 402 of the Clean Water Act

No project-specific analysis is required as part of the environmental review process under Section 402 of the Clean Water Act for the reasons provided below:

Since TPDES Construction General Permit (CGP) authorization and compliance (and the associated documentation) occur outside of the environmental clearance process, compliance is ensured by the policies and procedures that govern the design and construction phases of the project. The Project Development Process Manual and the Plans, Specifications, and Estimates (PS&E) Preparation Manual require a storm water pollution prevention plan (SWP3) be included in the plans of all projects that disturb one or more acres. The Construction Contract Administration Manual requires that the appropriate CGP authorization documents (notice of intent or site notice) be completed, posted, and submitted, when required by the CGP, to TCEQ and the municipal separate storm sewer system (MS4) operator. It also requires that projects be inspected to ensure compliance with the CGP.

The PS&E Preparation Manual requires that all projects include Standard Specification Item 506 (Temporary Erosion, Sedimentation, and Environmental Controls), and the "Required Specification Checklists" require Special Provision 506-003 on all projects that need authorization under the CGP. These documents require the project contractor to comply with the CGP and SWP3, and to complete the appropriate authorization documents.

For more information regarding Section 402 of the Clean Water Act, see **ENV's Water Resources Handbook**.

II. Section 404 of the Clean Water Act

Select the appropriate statement(s) below:

- ☒ This project will not involve any regulated activity in any jurisdictional waters and therefore does not require a United States Army Corps of Engineers (USACE) "dredge and fill" permit under Section 404 of the Clean Water Act.



- ☐ Some or all regulated activity in jurisdictional waters will be authorized under a non-reporting nationwide permit (i.e., no pre-construction notification required). If this statement applies, indicate which non-reporting nationwide permit(s) will be used below.

Non-reporting NWP no(s): **<enter non-reporting NWP no(s)>**

- ☐ Some or all regulated activity in jurisdictional waters cannot be authorized under a non-reporting nationwide permit; therefore, a nationwide permit with pre-construction notification, individual permit, letter of permission, or regional general permit will be required.

For more information regarding Section 404 of the Clean Water Act, see **ENV's Water Resources Handbook**.

III. Section 14 of the Rivers and Harbors Act (33 USC 408)

No project-specific analysis is required as part of the environmental review process under Section 14 of the Rivers and Harbors Act (33 USC 408) ("Section 408") for the reasons provided below:

Any project that involves alterations to, or will temporarily or permanently occupy or use, a USACE federally authorized civil works project (e.g., sea walls, bulkheads, reservoirs, levees, wharfs, or other federal civil works projects, or associated federal land (fee simple) or easements) will require USACE authorization under Section 408 prior to construction of the project. Obtaining any required authorization under Section 408 from the USACE is generally handled by hydraulic and/or design engineers. For any project that requires authorization under both Section 404 and Section 408, the Section 404 authorization cannot be issued until the Section 408 authorization is issued.

For more information regarding Section 408, see **ENV's Water Resources Handbook**.

IV. Section 303(d) of the Clean Water Act

For a CE project, no project-specific analysis is required as part of the environmental review process under Section 303(d) of the Clean Water Act for the reasons provided below:

To date, TCEQ has not identified (through either a total maximum daily load (TMDL) or the review of projects under the TCEQ MOU) a need to implement control measures beyond those required by the construction general permit (CGP) on road construction projects. Therefore, compliance with the project's CGP, along with coordination under the TCEQ MOU for certain transportation projects, collectively meets the need to address impaired waters during the environmental review process. As required by the CGP, the project and associated activities will be implemented, operated, and maintained using best management practices to control the discharge of pollutants from the project site.

For an EA or EIS project, further analysis regarding impaired waters is required under TxDOT's MOU with TCEQ for inclusion in the body of the environmental assessment or environmental impact statement. To do this further analysis, determine whether the project is located within five linear miles (not stream miles) of, is within the watershed of, and drains to, an impaired assessment unit under Section 303(d) of the federal Clean Water Act.



Provide the date of the Section 303(d) list consulted: **<enter date, for EAs and EISs only>**

Check the appropriate box below (EAs and EISs only):

- ☐ This project is not located within five linear miles (not stream miles) of, is not within the watershed of, or does not drain to, an impaired assessment unit under Section 303(d) of the federal Clean Water Act.
- ☐ This project is located within five linear miles (not stream miles) of, is within the watershed of, and drains to, an impaired assessment unit under Section 303(d) of the federal Clean Water Act.

If the second box is checked, fill-in the table below for any impaired assessment units within five miles of the project and within the same watershed as the project:

| Watershed | Segment name | Segment number | Assessment unit number |
|--------------|--------------|----------------|------------------------|
| <enter text> | <enter text> | <enter text> | <enter text> |
| <enter text> | <enter text> | <enter text> | <enter text> |
| <enter text> | <enter text> | <enter text> | <enter text> |
| <enter text> | <enter text> | <enter text> | <enter text> |
| <enter text> | <enter text> | <enter text> | <enter text> |
| <enter text> | <enter text> | <enter text> | <enter text> |

For more information regarding Section 303(d) of the Clean Water Act, see **ENV's Water Resources Handbook**.

V. General Bridge Act/Section 9 of the Rivers and Harbors Act

Select the appropriate statement below:

- ☒ This project will not require a permit, bridge lighting authorization, or exemption from the United States Coast Guard under Section 9 of the Rivers and Harbors Act, which outlines the requirements for approval to construct dams, dikes, bridges, or causeways in or over a navigable waterway.
- ☐ This project will require a permit, bridge lighting authorization, or exemption from the United States Coast Guard under Section 9 of the Rivers and Harbors Act, which outlines the requirements for approval to construct dams, dikes, bridges, or causeways in or over a navigable waterway.

For more information regarding the General Bridge Act/Section 9 of the Rivers and Harbors Act, see **ENV's Water Resources Handbook**.

VI. Section 10 of the Rivers and Harbors Act

Select the appropriate statement(s) below:



☒ This project does not require authorization from the USACE under Section 10 of the Rivers and Harbors Act, which outlines the requirements for approval to construct smaller structures in a navigable waterway.

☐ This project does require authorization from the USACE under Section 10 of the Rivers and Harbors Act. Some or all regulated activity in a navigable waterway will be authorized under a non-reporting nationwide permit (i.e., no pre-construction notification required). If this statement applies, indicate which non-reporting nationwide permit(s) will be used below.

Non-reporting NWP no(s): **<enter number or numbers of any non-reporting NWPs used>**

☐ This project does require authorization from the USACE under Section 10 of the Rivers and Harbors Act. Some or all regulated activity in a navigable waterway cannot be authorized under a non-reporting nationwide permit; therefore, a nationwide permit with pre-construction notification, individual permit, letter of permission, regional general permit, or individual Section 10 permit will be required.

For more information regarding Section 10 of the Rivers and Harbors Act, see **ENV's Water Resources Handbook**.

VII. Section 401 of the Clean Water Act

Select the appropriate statement below:

☒ This project will not require authorization under Section 404 of the federal Clean Water Act, Section 10 of the Rivers and Harbors Act, or the General Bridge Act/Section 9 of the Rivers and Harbors Act. Therefore, this project is not required to comply with TCEQ's Water Quality Certification Program, established under Section 401 of the Clean Water Act.

☐ This project will require authorization under Section 404 of the federal Clean Water Act, Section 10 of the Rivers and Harbors Act, or the General Bridge Act/Section 9 of the Rivers and Harbors Act. Therefore, this project is required to comply with TCEQ's Water Quality Certification Program, established under Section 401 of the Clean Water Act.

If the project is required to comply with TCEQ's Water Quality Certification Program, established under Section 401 of the Clean Water Act, then select the appropriate statement below:

☐ This project will comply with conditions set by TCEQ for projects authorized by certain nationwide permits.

☐ This project will use BMPs required by TCEQ for Tier I projects.

☐ A Tier II Certification Questionnaire and Alternative Analysis Checklist will be submitted to TCEQ.



For more information regarding Section 401 of the Clean Water Act, see **ENV's Water Resources Handbook**.

VIII. Executive Order 11990, Protection of Wetlands

Select the appropriate statement below:

- ☐ This project is not federally funded and therefore is not subject to Executive Order 11990, Protection of Wetlands.
- ☒ This project is federally funded and therefore is subject to Executive Order 11990, Protection of Wetlands, and will not involve construction in any wetlands.
- ☐ This project is federally funded and therefore is subject to Executive Order 11990, Protection of Wetlands, and will involve construction in one or more wetlands. Explanation of how the project will comply with Executive Order 11990 is provided below.

Explanation of why there is no practicable alternative to such construction:

<enter explanation, if applicable>

Explanation of how the project includes all practicable measures to minimize harm to wetlands:

<enter explanation, if applicable>

For more information regarding Executive Order 11990, Protection of Wetlands, see **ENV's Water Resources Handbook**.

IX. Executive Order 11988, Floodplain Management

No project-specific analysis is required as part of the environmental review process under Executive Order 11988, Floodplain Management for the reasons provided below:

The department implements this Executive Order on a programmatic basis through its Hydraulic Design Manual. Design of this project will be conducted in accordance with the department's Hydraulic Design Manual. Adherence to the TxDOT Hydraulic Design Manual ensures that this project will not result in a "significant encroachment" as defined by FHWA's rules implementing Executive Order 11988 at 23 CFR 650.105(q).

For more information regarding Executive Order 11988, Floodplain Management, see **ENV's Water Resources Handbook**.

X. Drinking Water Systems

No project-specific analysis is required as part of the environmental review process for drinking water systems for the reasons provided below:



In accordance with TxDOT's Standard Specifications for Construction and Maintenance of Highways, Streets and Bridges (Item 103, Disposal of Wells), any drinking water wells would need to be properly removed and disposed of during construction of the project.

XI. Resources Consulted

Indicate which resources were consulted/actions were taken to make the surface water determinations recorded in this form (DO NOT ATTACH TO THIS FORM OR UPLOAD TO ECOS ANY RESOURCES CONSULTED – JUST CHECK THE APPROPRIATE BOX(ES)):

- ☒ Aerial Photography (list dates mm/yyyy): 2018
- ☒ Topographic Maps ☒ Floodplain Maps
- ☒ Site Visit ☒ USFWS NWI Maps ☐ NRCS Soil Survey
- ☒ NHD ☐ TCEQ Streams/Waterbodies ☐ LIDAR
- ☐ USACE Approved JDs ☐ USACE Section 10 waters ☐ USACE 408 data
- ☐ TCEQ 303(d) Impaired Waters
- ☐ Contacted resource agency (list agency and reason): _____
- ☐ Other (list): _____

CSJ: 0902-90-084

C.C. Moss Elementary School and M.L. Phillips Elementary School

SUPPORTING ATTACHMENTS

ATTACHMENT 1: WATER RESOURCES FIGURE


ATTACHMENT 2: THREATENED AND IMPAIRED WATERS FIGURE

CSJ: 0902-90-084

C.C. Moss Elementary School and M.L. Phillips Elementary School

ATTACHMENT 1:

WATER RESOURCES



Water Resources in the Project Vicinity Sheet 1 of 2


Safe Routes to School Pedestrian Improvements
C.C. Moss Elementary School and M.L. Phillips Elementary School

Data Sources: NHD (2018),
NWI (2018), FEMA NFHL (2018)
Aerial Source: NAIP (2016)



CSJ: 0902-90-084

0 1,500 Feet 1 in = 1,500 feet
0 450 Meters Scale: 1:18,000
Date: 11/5/2019



Water Resources in the Project Vicinity Sheet 2 of 2

Safe Routes to School Pedestrian Improvements
C.C. Moss Elementary School and M.L. Phillips Elementary School

Data Sources: NHD (2018),
NWI (2018), FEMA NFHL (2018)
Aerial Source: NAIP (2016)



CSJ: 0902-90-084


0 1,500 Feet 1 in = 1,500 feet
0 450 Meters Scale: 1:18,000
Date: 11/5/2019

CSJ: 0902-90-084

C.C. Moss Elementary School and M.L. Phillips Elementary School

ATTACHMENT 2:


THREATENED AND IMPAIRED WATERS FIGURE





TCEQ Stream Segments


Safe Routes to School Pedestrian Improvements
C.C. Moss Elementary School and M.L. Phillips Elementary School


G:\Projects\CityofFortWorth\SRIS_KHAMoss_Phillips_Scope_TCEQ_Stream_Segments_20190701.mxd


 Project Location

 5-mile Buffer of Project Location


 NHD Stream TCEQ Segment

 Watershed

 No

 Yes

IMPAIRED



CSJ: 0902-90-084

0 1.5 Miles

0 2 Kilometers

Data Sources:
NHD (2018), TCEQ (2016)
Basemap Source: ESRI (2019)

1 in = 1.5 miles
Scale: 1:95,040
Date: 11/5/2019