

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

**LAND DESCRIPTION:**

**BEING** a 138.8 acre tract of land situated in the Houston Tap & Brazoria Railroad Company Survey, Abstract No. 654, the I & G.N. Railroad Company Survey, Abstract No. 1995, the I & G.N. Railroad Company Survey, Abstract No. 1996 and the Heirs of C.H. Higbee Survey, Abstract No. 2740 and being a portion of that certain tract of land described by Special Warranty Deed to Walsh Ranches Limited Partnership, recorded in Volume 1699, Page 1765 of the Deed Records of Parker County, Texas (D.R.P.C.T.) and Volume 12624, Page 92 of the Deed Records of Tarrant County, Texas (D.R.T.C.T.) and being more particularly described by metes and bounds as follows:

**COMMENCING** at a 5/8 inch iron rod found with plastic cap stamped "Huitt-Zollars" at the most southeasterly corner of Lot 5-X, Block 74 of the Final Plat of Walsh Ranch - Quail Valley Residential, an addition to the City of Fort Worth as recorded in Cabinet F, Slide 455 of the Plat Records, Parker County, Texas (P.R.P.C.T.);

**THENCE**, along the southerly line of said Lot 5-X the following:

South 60 degrees 24 minutes 04 seconds West a distance of 213.44 feet to a 5/8 inch iron rod found with plastic cap stamped "Huitt-Zollars";

South 29 degrees 35 minutes 56 seconds East a distance of 86.41 feet to a 5/8 inch iron rod found with plastic cap stamped "Huitt-Zollars";

South 86 degrees 15 minutes 18 seconds West a distance of 97.49 feet to a 5/8 inch iron rod found with plastic cap stamped "Huitt-Zollars";

North 64 degrees 00 minutes 23 seconds West a distance of 121.75 feet to a 5/8 inch iron rod found with plastic cap stamped "Huitt-Zollars" at the **POINT OF BEGINNING**;

**THENCE**, over and across said Walsh Ranches Limited Partnership tract the following:

South 14 degrees 02 minutes 32 seconds East a distance of 331.31 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 10 degrees 03 minutes 12 seconds, a radius of 2,090.00 feet, and subtended by a 366.25 foot chord which bears North 86 degrees 26 minutes 04 seconds East;

Along said curve to the right an arc distance of 366.72 feet to a point for corner;

South 01 degrees 27 minutes 41 seconds West a distance of 288.59 feet to a point for corner;

South 17 degrees 12 minutes 10 seconds East a distance of 168.09 feet to at the beginning of a non-tangent curve to the left having a central angle of 04 degrees 41 minutes 33 seconds, a radius of 890.00 feet, and subtended by a 72.87 foot chord which bears South 70 degrees 27 minutes 03 seconds West;

Along said curve to the left an arc distance of 72.89 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

South 21 degrees 53 minutes 43 seconds East a distance of 60.00 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 07 degrees 13 minutes 11 seconds, a radius of 1,815.00 feet, and subtended by a 228.55 foot chord which bears South 33 degrees 57 minutes 02 seconds East;

Along said curve to the left an arc distance of 228.70 feet to a point for corner;

North 50 degrees 09 minutes 24 seconds East a distance of 47.12 feet to a point for corner;

South 39 degrees 20 minutes 07 seconds East a distance of 204.95 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 39 minutes 53 seconds, a radius of 2,520.00 feet, and subtended by a 29.24 foot chord which bears South 50 degrees 19 minutes 57 seconds West;

Along said curve to the left an arc distance of 29.24 feet to a point for corner at the beginning of a compound curve to the left having a central angle of 21 degrees 15 minutes 53 seconds, a radius of 520.00 feet, and subtended by a 191.89 foot chord which bears South 39 degrees 22 minutes 03 seconds West;

Along said curve to the left an arc distance of 192.99 feet to a point for corner;

South 16 degrees 17 minutes 44 seconds East a distance of 21.51 feet to a point for corner;

South 60 degrees 30 minutes 00 seconds East a distance of 14.82 feet to a point for corner;

South 29 degrees 30 minutes 00 seconds West a distance of 52.00 feet to a point for corner;

North 60 degrees 30 minutes 00 seconds West a distance of 10.00 feet to a point for corner;

South 69 degrees 59 minutes 59 seconds West a distance of 19.48 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 20 degrees 25 minutes 23 seconds, a radius of 520.00 feet, and subtended by a 184.37 foot chord which bears South 09 degrees 27 minutes 41 seconds West;

Along said curve to the left an arc distance of 185.35 feet to a point for corner;

South 00 degrees 45 minutes 00 seconds East a distance of 108.84 feet to a point for corner;

South 46 degrees 15 minutes 00 seconds East a distance of 21.03 feet to a point for corner;

North 88 degrees 15 minutes 00 seconds East a distance of 10.00 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

South 01 degrees 45 minutes 00 seconds East a distance of 52.00 feet to a point for corner;

South 88 degrees 15 minutes 00 seconds West a distance of 11.03 feet to a point for corner;

South 44 degrees 23 minutes 58 seconds West a distance of 21.63 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 11 degrees 02 minutes 01 seconds, a radius of 1,030.00 feet, and subtended by a 198.04 foot chord which bears South 06 degrees 28 minutes 59 seconds West;

Along said curve to the right an arc distance of 198.35 feet to a point for corner;

South 12 degrees 00 minutes 00 seconds West a distance of 51.28 feet to a point for corner;

South 35 degrees 30 minutes 00 seconds East a distance of 20.27 feet to a point for corner;

South 83 degrees 00 minutes 00 seconds East a distance of 10.00 feet to a point for corner;

South 07 degrees 00 minutes 00 seconds West a distance of 52.00 feet to a point for corner;

North 83 degrees 00 minutes 00 seconds West a distance of 14.55 feet to a point for corner;

South 54 degrees 30 minutes 00 seconds West a distance of 22.12 feet to a point for corner;

South 12 degrees 00 minutes 00 seconds West a distance of 89.77 feet to a point for corner at the beginning of a curve to the left having a central angle of 14 degrees 20 minutes 35 seconds, a radius of 495.00 feet, and subtended by a 123.59 foot chord which bears South 04 degrees 49 minutes 43 seconds West;

Along said curve to the left an arc distance of 123.91 feet to a point for corner;

South 47 degrees 36 minutes 20 seconds East a distance of 21.44 feet to a point for corner;

North 88 degrees 00 minutes 00 seconds East a distance of 14.64 feet to a point for corner;

South 02 degrees 00 minutes 00 seconds East a distance of 52.00 feet to a point for corner;

South 88 degrees 00 minutes 00 seconds West a distance of 10.00 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

South 38 degrees 30 minutes 12 seconds West a distance of 19.48 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 08 minutes 19 seconds, a radius of 495.00 feet, and subtended by a 1.20 foot chord which bears South 11 degrees 55 minutes 50 seconds East;

Along said curve to the left an arc distance of 1.20 feet to a point for corner;

South 12 degrees 00 minutes 00 seconds East a distance of 101.04 feet to a point for corner at the beginning of a curve to the right having a central angle of 08 degrees 11 minutes 16 seconds, a radius of 830.00 feet, and subtended by a 118.51 foot chord which bears South 07 degrees 54 minutes 22 seconds East;

Along said curve to the right an arc distance of 118.61 feet to a point for corner;

South 49 degrees 20 minutes 13 seconds East a distance of 20.82 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 14 minutes 45 seconds, a radius of 2,331.00 feet, and subtended by a 10.00 foot chord which bears North 84 degrees 18 minutes 49 seconds East;

Along said curve to the left an arc distance of 10.00 feet to a point for corner;

South 05 degrees 48 minutes 34 seconds East a distance of 52.00 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 00 degrees 20 minutes 46 seconds, a radius of 2,383.00 feet, and subtended by a 14.39 foot chord which bears South 84 degrees 21 minutes 49 seconds West;

Along said curve to the right an arc distance of 14.39 feet to a point for corner;

South 43 degrees 01 minutes 44 seconds West a distance of 22.40 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 02 degrees 08 minutes 29 seconds, a radius of 830.00 feet, and subtended by a 31.02 foot chord which bears South 02 degrees 55 minutes 45 seconds West;

Along said curve to the right an arc distance of 31.02 feet to a point for corner;

South 04 degrees 00 minutes 00 seconds West a distance of 128.59 feet to a point for corner at the beginning of a curve to the left having a central angle of 03 degrees 49 minutes 26 seconds, a radius of 970.00 feet, and subtended by a 64.73 foot chord which bears South 02 degrees 05 minutes 17 seconds West;

Along said curve to the left an arc distance of 64.74 feet to a point for corner;

South 47 degrees 22 minutes 40 seconds East a distance of 20.42 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 13 minutes 03 seconds, a radius of 2,635.00 feet, and subtended by a 10.00 foot chord which bears North 85 degrees 14 minutes 22 seconds East;

Along said curve to the left an arc distance of 10.00 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

South 04 degrees 52 minutes 10 seconds East a distance of 52.00 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 00 degrees 15 minutes 51 seconds, a radius of 2,687.00 feet, and subtended by a 12.38 foot chord which bears South 85 degrees 15 minutes 46 seconds West;

Along said curve to the right an arc distance of 12.38 feet to a point for corner;

South 40 degrees 57 minutes 16 seconds West a distance of 21.36 feet to a point for corner;

South 03 degrees 38 minutes 45 seconds East a distance of 233.01 feet to a point for corner;

South 48 degrees 59 minutes 10 seconds East a distance of 14.06 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 11 minutes 40 seconds, a radius of 2,945.00 feet, and subtended by a 10.00 foot chord which bears North 85 degrees 28 minutes 44 seconds East;

Along said curve to the left an arc distance of 10.00 feet to a point for corner;

South 04 degrees 37 minutes 07 seconds East a distance of 110.00 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 02 degrees 37 minutes 07 seconds, a radius of 3,055.00 feet, and subtended by a 139.61 foot chord which bears South 86 degrees 41 minutes 27 seconds West;

Along said curve to the right an arc distance of 139.62 feet to a point for corner;

South 88 degrees 00 minutes 00 seconds West a distance of 100.00 feet to a point for corner at the beginning of a curve to the right having a central angle of 24 degrees 45 minutes 00 seconds, a radius of 3,555.00 feet, and subtended by a 1,523.74 foot chord which bears North 79 degrees 37 minutes 30 seconds West;

Along said curve to the right an arc distance of 1,535.65 feet to a point for corner;

North 67 degrees 15 minutes 00 seconds West a distance of 230.00 feet to a point for corner at the beginning of a curve to the left having a central angle of 01 degrees 08 minutes 43 seconds, a radius of 4,345.00 feet, and subtended by a 86.86 foot chord which bears North 67 degrees 49 minutes 22 seconds West;

Along said curve to the left an arc distance of 86.86 feet to a point for corner;

North 21 degrees 36 minutes 17 seconds East a distance of 110.00 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 06 minutes 05 seconds, a radius of 4,455.00 feet, and subtended by a 7.89 foot chord which bears North 68 degrees 26 minutes 46 seconds West;

Along said curve to the left an arc distance of 7.89 feet to a point for corner;

North 24 degrees 01 minutes 38 seconds West a distance of 14.26 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

North 20 degrees 30 minutes 00 seconds East a distance of 85.36 feet to a point for corner at the beginning of a curve to the left having a central angle of 02 degrees 24 minutes 49 seconds, a radius of 491.00 feet, and subtended by a 20.68 foot chord which bears North 19 degrees 17 minutes 35 seconds East;

Along said curve to the left an arc distance of 20.68 feet to a point for corner;

North 64 degrees 27 minutes 07 seconds East a distance of 13.65 feet to a point for corner;

North 15 degrees 58 minutes 58 seconds East a distance of 16.07 feet to a point for corner;

North 27 degrees 04 minutes 43 seconds West a distance of 14.97 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 09 degrees 40 minutes 54 seconds, a radius of 491.00 feet, and subtended by a 82.87 foot chord which bears North 09 degrees 02 minutes 10 seconds East;

Along said curve to the left an arc distance of 82.97 feet to a point for corner at the beginning of a reverse curve to the right having a central angle of 01 degrees 27 minutes 51 seconds, a radius of 429.00 feet, and subtended by a 10.96 foot chord which bears North 04 degrees 55 minutes 39 seconds East;

Along said curve to the right an arc distance of 10.96 feet to a point for corner;

North 58 degrees 52 minutes 48 seconds East a distance of 18.38 feet to a point for corner at the beginning of a non-tangent curve to the right having a central angle of 00 degrees 01 minutes 20 seconds, a radius of 4,713.00 feet, and subtended by a 1.84 foot chord which bears South 68 degrees 47 minutes 57 seconds East;

Along said curve to the right an arc distance of 1.84 feet to a point for corner;

North 21 degrees 12 minutes 43 seconds East a distance of 52.00 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 00 degrees 07 minutes 57 seconds, a radius of 4,765.00 feet, and subtended by a 11.02 foot chord which bears North 68 degrees 51 minutes 16 seconds West;

Along said curve to the left an arc distance of 11.02 feet to a point for corner;

North 26 degrees 38 minutes 50 seconds West a distance of 22.17 feet to a point for corner;

North 69 degrees 30 minutes 00 seconds West a distance of 63.87 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

South 67 degrees 38 minutes 50 seconds West a distance of 22.17 feet to a point for corner at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 14 minutes 55 seconds, a radius of 4,765.00 feet, and subtended by a 103.84 foot chord which bears North 70 degrees 42 minutes 13 seconds West;

Along said curve to the left an arc distance of 103.84 feet to a point for corner;

North 20 degrees 30 minutes 00 seconds East a distance of 192.50 feet to a point for corner;

North 07 degrees 33 minutes 35 seconds East a distance of 48.77 feet to a point for corner;

North 09 degrees 53 minutes 20 seconds East a distance of 122.78 feet to a point for corner;

North 01 degrees 35 minutes 32 seconds East a distance of 47.57 feet to a point for corner;

North 06 degrees 42 minutes 16 seconds West a distance of 122.78 feet to a point for corner ";

North 07 degrees 11 minutes 34 seconds West a distance of 61.35 feet to a point for corner;

North 19 degrees 25 minutes 15 seconds West a distance of 59.65 feet to a point for corner;

North 19 degrees 30 minutes 00 seconds West a distance of 210.00 feet to a point for corner;

North 22 degrees 12 minutes 36 seconds West a distance of 74.19 feet to a point for corner the beginning of a non-tangent curve to the right having a central angle of 02 degrees 42 minutes 36 seconds, a radius of 1,174.00 feet, and subtended by a 55.52 foot chord which bears North 69 degrees 08 minutes 42 seconds East;

Along said curve to the right an arc distance of 55.53 feet to a 5/8 inch iron rod set with plastic cap stamped "Huitt-Zollars";

North 70 degrees 30 minutes 00 seconds East a distance of 54.00 feet to a point for corner;

South 64 degrees 30 minutes 00 seconds East a distance of 21.21 feet to a point for corner;

North 70 degrees 30 minutes 00 seconds East a distance of 62.00 feet to a point for corner;

North 25 degrees 30 minutes 00 seconds East a distance of 21.21 feet to a point for corner;

**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

North 19 degrees 30 minutes 00 seconds West a distance of 52.00 feet to a point for corner;

North 64 degrees 30 minutes 00 seconds West a distance of 21.21 feet to a point for corner;

North 19 degrees 30 minutes 00 seconds West a distance of 49.00 feet to a point for corner at the beginning of a curve to the right having a central angle of 09 degrees 30 minutes 00 seconds, a radius of 969.00 feet, and subtended by a 160.48 foot chord which bears North 14 degrees 45 minutes 00 seconds West;

Along said curve to the right an arc distance of 160.67 feet to a point for corner;

North 10 degrees 00 minutes 00 seconds West a distance of 100.00 feet to a point for corner at the beginning of a curve to the right having a central angle of 10 degrees 00 minutes 00 seconds, a radius of 859.00 feet, and subtended by a 149.73 foot chord which bears North 05 degrees 00 minutes 00 seconds West;

Along said curve to the right an arc distance of 149.92 feet to a point for corner;

North a distance of 408.39 feet to a point for corner at the beginning of a curve to the left having a central angle of 08 degrees 47 minutes 31 seconds, a radius of 231.00 feet, and subtended by a 35.41 foot chord which bears North 04 degrees 23 minutes 45 seconds West;

Along said curve to the right-left an arc distance of 35.45 feet to a point for corner on the southerly line of the aforementioned Lot 5-X;

**THENCE**, along the southerly line of said Lot 5-X the following:

North 86 degrees 01 minutes 03 seconds East a distance of 509.34 feet to a point for corner;

North 37 degrees 51 minutes 46 seconds East a distance of 546.41 feet to a point for corner;

North 74 degrees 35 minutes 27 seconds East a distance of 615.28 feet to a point for corner;

South 67 degrees 17 minutes 53 seconds East a distance of 117.08 feet to a point for corner;

South 14 degrees 02 minutes 32 seconds East a distance of 31.12 feet to the POINT OF BEGINNING, and containing 6,044,461 Square feet or 138.8 acres of land, more or less.



**WALSH RANCH - QUAIL VALLEY - PLANNING AREA 6**  
ANNEXATION BOUNDARY

Bearings are based on the State Plane Coordinate System, Texas North Central Zone (4202), North American Datum 1983 (2011). All distances are surface values and can be converted to grid values by dividing by the combined scale factor of 1.00015539999.

For Huitt-Zollars, Inc.


  
\_\_\_\_\_  
Mitchell S. Pillar, Registered Professional Land Surveyor  
Texas Registration No. 5491  
Huitt-Zollars, Inc.  
Firm Registration No. 10025600  
5430 L.B.J. Freeway, Suite 1500  
Dallas, Texas 75240  
Date: February 5, 2024



CURVE TABLE					
CURVE	DELTA	RADIUS	CH LENGTH	CH BEARING	LENGTH
C1	010°03'12"	2090.00'	366.25'	N86°26'04"E	366.72'
C2	004°41'33"	890.00'	72.87'	S10°27'03"W	72.89'
C3	007°13'11"	1815.00'	228.55'	S33°57'02"E	228.70'
C4	007°39'53"	2520.00'	29.24'	S50°19'57"W	29.24'
C5	021°15'03"	520.00'	191.89'	S38°22'03"W	192.99'
C6	020°25'23"	520.00'	184.37'	S09°27'41"W	185.35'
C7	011°02'01"	1030.00'	198.04'	S06°28'59"W	198.35'
C8	014°20'55"	495.00'	123.58'	S04°49'43"W	123.91'
C9	000°08'19"	495.00'	1.20'	S11°55'50"E	1.20'
C10	008°11'16"	830.00'	118.51'	S07°54'22"E	118.61'
C11	001°14'45"	2331.00'	10.00'	N84°18'48"E	10.00'
C12	000°20'46"	2383.00'	14.39'	S84°21'49"W	14.39'
C13	002°08'26"	830.00'	31.02'	S02°59'45"W	31.02'
C14	003°49'26"	970.00'	64.73'	S02°05'17"W	64.74'
C15	000°13'03"	2635.00'	10.00'	N85°14'22"E	10.00'
C16	000°15'51"	2687.00'	12.38'	S85°15'46"W	12.38'
C17	000°11'40"	2945.00'	10.00'	N85°28'44"E	10.00'
C18	002°37'07"	3055.00'	139.61'	S86°41'27"W	139.62'
C19	024°45'00"	3555.00'	1523.74'	N79°37'30"W	1535.65'
C20	001°08'43"	4345.00'	86.86'	N67°49'22"W	86.86'
C21	000°06'06"	4455.00'	7.89'	N88°26'46"W	7.89'
C22	002°24'49"	491.00'	20.68'	N19°17'35"E	20.68'
C23	009°40'54"	491.00'	82.87'	N09°02'10"E	82.97'
C24	001°27'51"	429.00'	10.96'	N04°55'39"E	10.96'
C25	000°01'20"	4713.00'	1.84'	S68°47'57"E	1.84'
C26	000°07'57"	4765.00'	11.02'	N68°51'16"W	11.02'
C27	001°14'55"	4765.00'	103.84'	N70°42'13"W	103.84'
C28	002°42'36"	1174.00'	55.52'	N69°08'42"E	55.53'
C29	009°30'00"	969.00'	160.48'	N14°45'00"W	160.67'
C30	010°00'00"	850.00'	149.73'	N05°00'00"W	149.92'
C31	008°47'31"	231.00'	35.41'	N04°23'45"W	35.45'

LINE TABLE		
LINE	BEARING	LENGTH
L1	S14°02'32"E	331.31'
L2	S01°27'41"W	286.59'
L3	S17°12'10"E	168.09'
L4	S21°53'43"E	80.00'
L5	N50°09'24"E	47.12'
L6	S39°20'07"E	204.95'
L7	S16°17'44"E	21.51'
L8	S60°30'00"E	14.82'
L9	S29°30'00"W	52.00'
L10	N60°30'00"W	10.00'
L11	S69°59'59"W	19.48'
L12	S00°45'00"E	108.84'
L13	S48°15'00"E	21.03'
L14	N88°15'00"E	10.00'
L15	S01°40'00"E	52.00'
L16	S88°15'00"W	11.03'
L17	S44°23'38"W	21.83'
L18	S12°00'00"W	51.28'
L19	S35°30'00"E	20.27'
L20	S83°00'00"E	10.00'
L21	S07°00'00"W	52.00'
L22	N83°00'00"W	14.58'
L23	S54°30'00"W	22.12'
L24	S12°00'00"W	89.77'
L25	S47°36'20"E	21.44'
L26	N88°00'00"E	14.84'
L27	S02°00'00"E	52.00'
L28	S88°00'00"W	10.00'
L29	S35°30'12"W	19.48'
L30	S12°00'00"E	101.04'
L31	S49°20'13"E	20.82'
L32	S05°48'34"E	52.00'
L33	S43°01'44"W	22.40'
L34	S04°00'00"W	128.59'
L35	S47°22'40"E	20.42'
L36	S04°52'10"E	52.00'
L37	S40°57'16"W	21.36'
L38	S03°38'45"E	233.01'

LINE TABLE		
LINE	BEARING	LENGTH
L39	S48°59'10"E	14.06'
L40	S04°37'07"E	110.00'
L41	S88°00'00"W	100.00'
L42	N67°15'00"W	230.00'
L43	N01°36'17"E	110.00'
L44	N24°01'38"W	14.26'
L45	N20°30'00"E	85.36'
L46	N64°27'07"E	13.65'
L47	N15°58'58"E	16.07'
L48	N27°04'43"W	14.97'
L49	N68°52'48"E	18.38'
L50	N21°12'49"E	52.00'
L51	N28°38'50"W	22.17'
L52	N89°30'00"W	63.87'
L53	S67°38'50"W	22.17'
L54	N20°30'00"E	192.50'
L55	N07°33'35"E	48.77'
L56	N09°53'20"E	122.78'
L57	N01°35'32"E	47.57'
L58	N08°42'16"W	122.78'
L59	N07°11'34"W	61.35'
L60	N19°25'15"W	58.65'
L61	N19°30'00"W	210.00'
L62	N22°12'36"W	74.19'
L63	N70°30'00"E	54.00'
L64	S64°30'00"E	21.21'
L65	N70°30'00"E	82.00'
L66	N25°30'00"E	21.21'
L67	N19°30'00"W	53.00'
L68	N64°30'00"W	21.21'
L69	N19°30'00"W	49.00'
L70	N10°00'00"W	100.00'
L71	N00°00'00"E	408.39'
L72	N86°01'03"E	509.34'
L73	N37°51'46"E	546.41'
L74	N74°35'27"E	615.28'
L75	S67°17'53"E	117.08'
L76	S14°02'32"E	31.12'



For Huitt-Zollars, Inc.

Mitchell S. Pillar  
Registered Professional Land Surveyor  
Texas Registration No. 5491  
Huitt-Zollars, Inc.  
TBPELS Firm Registration No. 10025600  
5430 LBJ Freeway, Suite 1500  
Dallas, Texas 75240  
(214) 871-3311  
pillar@huitt-zollars.com Date: February 5, 2024



0 150 300 600  
SCALE: 1" = 300'

## LEGEND

○ HZF - 5/8" IRON ROD FOUND WITH PLASTIC  
CAP STAMPED "HUITT-ZOLLARS"

**HUITT ZOLLARS**

5430 LBJ Freeway, Suite 1500  
Dallas, Texas 75240-2675  
214.871.3311  
www.huitt-zollars.com

**CITY OF FORT WORTH ANNEXATION**  
138.8 ACRES

Houston Tap & Brazoria Railroad Company Survey, Abstract No. 654  
I & G.N. Railroad Company Survey, Abstract No. 1995  
I & G.N. Railroad Company Survey, Abstract No. 1996  
Heirs of C.H. Higbee Survey, Abstract No. 2740

PARKER COUNTY, TEXAS

## BASIS OF BEARING:

Bearings are based on the Texas State Plane  
Coordinate System, North Central Zone (4202)  
North American Datum 1983 (2011)

HZ PROJECT NO.: R303061.56

DATE: February 5, 2024

SHEET **10** OF **10**